


Pumping Perfected.™

WELL SERVICING PUMPS




Gardner
Denver



For over one hundred and fifty years, Gardner Denver has continually set new standards with unique pump designs and advanced manufacturing materials that deliver the utmost in reliability. Today, we continue to innovate and improve to ensure you benefit from products that provide the perfect combination of performance and durability to maximize uptime on every project. Around the world, across an array of applications, we offer the broadest product range in the industry backed by the quality and technology you expect from Gardner Denver.


WELL SERVICING PUMPS



Gardner Denver Well Servicing Pumps are built to deliver outstanding performance in the most rugged environments. Our line of performance-driven pumps have earned the trust of the industry's top drilling and well servicing contractors by providing strength that is unmatched and technology that is unparalleled. With products that are engineered to the most demanding specification, we can provide the optimum pump for virtually any well servicing application, anywhere exceptional performance is needed. Whether it's stimulation, fracturing, cementing, acidizing, or coil tubing applications, we have a model for every job. For excellence that endures, choose the family of pumps that leads the field in the petroleum industry, Gardner Denver.

Pumping Perfected.

**Gardner
Denver**



STIMULATION & FRACTURING PUMPS

Gardner Denver's family of stimulation and fracturing pumps has been specifically designed to meet your high pressure requirements in harsh environments. They deliver ultimate durability plus the high flow rate performance needed to get the job done right.

Pump Model	Power		Stroke		Sizes		Max Flow Rate		Max Pressure	
	(BHP)	(kW)	(in.)	(mm)	(in.)	(mm)	(GPM)	(m ³ /hr)	(PSI)	(bar)
GD-1600	1,600	1,195	8	203.2	3.75-6.5	95.3-165.0	1,135	258	18,100	1,248
GD-2250T	2,250	1,678	8	203.2	3.75-7	95.3-177.8	1,319	300	21,500	1,482
GD-2500Q	2,500	1,864	8	203.2	3.75-6.75	95.3-171.5	2,044	464	17,800	1,227
C-2500	2,500	1,864	8	203.2	3.75-7.5	95.3-190.5	2,523	573	20,000	1,379
GD-3000	3,000	2,237	11	279.4	4.5-7	114.3-177.8	1,375	312	22,000	1,517

DRILLING PUMPS

The preferred choice for both offshore and land based drilling contractors who demand superior performance and uncompromised reliability. Gardner Denver's family of drilling pumps are used in a variety of applications from highly mobile, shallow drilling rigs to severe duty operations in the unconventional shale plays.



Pump Model	Power		Stroke		Sizes		Max Flow Rate		Max Pressure	
	(BHP)	(kW)	(in.)	(mm)	(in.)	(mm)	(GPM)	(m ³ /hr)	(PSI)	(bar)
PAH	275	205	8	203.2	3-5	76.2-127.0	357	81	3,118	215
PZ-7 (PZG)	550	410	7	177.8	4-7	101.6-177.8	507	115	5,000	345
PZ-8 (PZH)	750	559	8	203.2	4-7	101.6-177.8	580	132	5,000	345
PZ-9 (PZJ)	1,000	746	9	228.6	4-7	101.6-177.8	585	133	5,000	345
PZ-10 (PZK)	1,350	1,007	10	254.0	5.5-7	139.7-177.8	575	131	5,000	345
PZ-11 (PZL)	1,600	1,193	11	279.4	5.5-7.25	139.7-184.2	678	154	5,000	345
PZ-11HP (PZL HP)	1,600	1,193	11	279.4	5-7	127.0-177.8	632	144	7,500	517
PXL	2,000	1,491	11	279.4	5-7.25	127.0-184.2	678	154	7,500	517




WELL SERVICING PUMPS

The benchmark for quality and durability, Gardner Denver offers a wide range of rugged, heavy duty well servicing pumps as well as versatile and maintenance friendly units for use in a variety of workover and well service applications.

Pump Model	Power		Stroke		Sizes		Max Flow Rate		Max Pressure	
	(BHP)	(kW)	(in.)	(mm)	(in.)	(mm)	(GPM)	(m ³ /hr)	(PSI)	(bar)
TEE	165	123	5	127.0	1.75-4	44.5-101.6	245	56	10,000	689
TGE	165	123	5	127.0	1.75-4	44.5-101.6	245	56	10,000	689
THE	215	160	5	127.0	4-5.5	101.6-140.0	462	105	2,950	203
GD-250	250	186	5	127.0	2-5	50.8-127.0	362	82	15,000	1,034
PAH	310	231	8	203.2	3-5	76.2-127.0	357	81	10,000	689
TGH	400	298	8	203.2	3-5	76.2-127.0	357	81	10,000	689
GD-600	600	447	6	152.4	2.75-5	69.9-127.0	688	156	16,845	1,161
GD-Compact	600	447	6	152.4	2.75-4.5	69.9-114.3	558	127	16,845	1,161
GD-1000Q	1,000	746	6	152.4	2.75-4.5	69.9-114.3	929	211	17,852	1,231
GD-1250	1,250	932	8	203.2	3.75-6.5	95.3-165.1	1,135	258	18,100	1,248

CENTRIFUGAL PUMPS

Gardner Denver centrifugal pumps are specifically designed for compact installations on stimulation and fracturing units. These pumps provide space efficiency while delivering high flow, steady supply input to your Gardner Denver well servicing pump.




Pump Model	Power		Max Flow Rate		Max Pressure	
	(BHP)	(kW)	(GPM)	(m ³ /hr)	(PSI)	(bar)
4X5	25	19	800	182	50	3
5X6	50	37	950	216	70	5
2045LX	100	75	950	216	100	7
10X12	200	149	4,000	908	85	6
10X12HD	280	209	4,500	1,022	100	7

AFTER SERVICE EXCELLENCE



For excellence in replacement parts and repair service, look to Gardner Denver. Genuine Gardner Denver parts are designed and quality checked to rigid specifications by the same engineers and craftsmen who design and build our pumps. Through our state-of-the-art manufacturing methods, efficient equipment and skilled craftsmen, we produce quality products that assure performance, long life and trouble-free operation. And, with five strategically located warehouses and a network of over 100 authorized distributors committed to stocking the parts you need, we're always close at hand.



To ensure prompt and professional repairs and superior maintenance of our products, we offer the Gardner Denver Petroleum Pump Service Centers in Ft. Worth and Odessa, Texas. Here, skilled GD personnel specialize in fluid end repair, power end overhaul, and genuine OEM spare parts for well service, drilling, and production pumps. Supported with a full line of original Gardner Denver parts, our facilities are logistically located to expedite repairs to factory specifications. For quick turn around of onsite repairs, our Service Technicians are available to come directly to your operations for expert service.



**For repairs or more information, contact
our maintenance specialists at:**

7533 Kathy Lane
Ft. Worth, TX 76126
817-249-6400

2121 West 44th Street
Odessa, TX 79764
432-366-5433

2200 South Prospect
Oklahoma City, OK 73129
405-677-5736

Pumping Perfected.

**Gardner
Denver**

www.pumpingperfected.com

Gardner **Denver**

Drilling & Production Pumps

Gardner Denver Pump Division
1800 Gardner Expressway
Quincy, IL 62305
Phone: 217-222-5400
Fax: 217-223-1581

Drilling & Production Aftermarket

Gardner Denver Pump Division
2200 South Prospect
Oklahoma City, OK 73129
Phone: 405-677-5736
Fax: 405-677-5807

Well Service Pumps

Gardner Denver Pump Division
4747 South 83rd East Avenue
Tulsa, OK 74145
Phone: 918-664-1151
Fax: 918-447-6487

Fort Worth Service Center

Gardner Denver Pump Division
7533 Kathy Lane
Fort Worth, TX 76126
Phone: 817-249-6400
Fax: 817-249-6383

Odessa Service Center

Gardner Denver Pump Division
2121 West 44th Street
Odessa, TX 79764
Phone: 432-366-5433
Fax: 432-363-9940